

Installing and
Maintaining
**Automatic
Doors** for
over 20
years!



- Home
- Products**
- About Us
- Service & Maintenance
- Installation & Contracts
- Contact Us

You are here: [Products](#) > [Accessories](#) > Transit Accessories

Transit Accessories

[Download this Spec sheet](#) 

ONTBS

Slide arm for the Transit UE.

Inward opening Arm.

L = 900mm.



OTBA

Articulated arm for the Transit UE,

Outward opening Arm



ONTBSS

Slide arm with break-out for the
Transit UE.

Will enable the door to be pushed both
ways in case of emergency.

L = 900mm.



TRANSITBRAS

BRAS arm for the Transit UE.

Will allow a recessed door to be
Automated as a inward opening door.
(Maximum recess 185mm)



N-EXT-T (L/S)

Neck extension For the Transit UE.
Will drop the arm either 25mm or
50mm.

Codes:

N-EXT-T-L = 50mm extension

N-EXT-T-S = 25mm extension



RTS85

Dummy transom door closer.

- 293mm x 90mm.
- 100kg maximum door weight.
- 2540mm maximum door height.



OOTUEB

In-line battery back-up for the Transit
UE, Complete with Back plate and
cover, cut to 240mm



BATK1

External Battery back-up for the
Transit UE.



TEND-RS

Optional End cap for Transit Range,
Incorporating 3 Position Switch.



VP632N / VP634N

Continuous Back plate and cover for the
Transit UE, available up-to 5700mm.
NAT finish. Ideal for use when two
operators are fitted as a pair.



ALU MP

Mounting Plate, available in either 4", 5" or 6" wide in a RAW finish.


Sold in 1m lengths.

Codes :

ALU MP4 = 4" Mounting plate.

ALU MP5 = 5" Mounting Plate.

ALU MP6 = 6" Mounting Plate.



ALU SPC

Spacer bar for all types of slide arm.

Dimensions: W = 1.5", H = 1" L = 1m.

RAW finish.

Ideal if door is slightly recessed.

